

# Black Heavyweight G17K



## DESCRIPTION

- Industrial protective glove.
- Black natural rubber unsupported glove.
- 5 sizes available : 6.5 , 7.5, 8.5, 9.5 and 10.5.
- Single pair packed, trade unit 12 pairs, 144 pairs in a transit case.

## CHARACTERISTICS

- Natural rubber latex glove, flock lined 100 % cotton.
- Longer gauntlet style cuff for extra protection.
- Beaded cuff for tear resistance and easy donning.
- Length : 320 mm approx.
- Double wall thickness : 1,60 mm approx.

## PERFORMANCES

- High resistance to water based chemicals.
- Good resistance to abrasion.
- Resistant and flexible, suitable for many industrial applications.
- In compliance with the standards EN420 (General requirements), EN388 (Mechanical Hazards) and EN374 (Chemical and Micro-organisms Hazards) by the notified laboratory BSI.
- Manufactured under EC quality assurance system carried out by the BSI.

## APPLICATIONS

- CE Complex Design.
- Ideal for handling aggressive water based chemicals.
- Applications : heavy industry, assembly, maintenance workand local authorities.



This glove is certified to comply with the essential requirements of European Directive EEC/89/686 of December 21st, 1989 relative to personal protective equipment submitted to CE type examination issued by a notified laboratory, who certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during tests, and manufactured under a CE quality assurance system carried out by a notified body.

**CE 0086**



EN 420

EN 420

**5** Dexterity

EN 388

**3** Abrasion

**1** Cut

**2** Tear

**1** Puncture

EN 374

**3** A - Methanol

**6** K - Caustic soda solution 40 %

**3** L - Sulfuric acid 96 %



**3121**

EN 388

Mechanical hazards



EN 374

Chemical hazards



EN 374

Microbiological hazards

## Order codes

Sizes	6.5	7.5	8.5	9.5	10.5
Black Heavyweight G17K	01621	01622	01623	01624	01625

