

# Tork Aftørringspapir Basic 1-lag

Farve: Gul Type: Rulle



# **Fordel**

• Godkendt til kontakt med fødevarer









# Produktspecifikation

Artikel	System	Rullelængde	Rullebredde	Rullediameter	Indvendig kernediameter	Lag	Farve
127107	W1 - Aftørringspapir væg-/gulv- /standardsystem	1190 m	33 cm	38 cm	7.1 cm	1	Gul

## **Beskrivelse**

Et 1-lags papir til basale aftørringsopgaver.



# Forsendelsesdata

# Forbrugerenhed

EAN	7322540069723		
Stk.	1		
Højde	330 mm		
Bredde	380 mm		
Længde	380 mm		
Volumen	47.7 dm3		
Nettovægt	10014 g		
Bruttovægt	10100 g		

# Transportenhed

EAN	7322540069723	
Stk.	1	
Forbrugerenhede r	1	
Materiale	Plastic	
Højde	330 mm	
Bredde	380 mm	
Længde	380 mm	
Volumen	47.7 dm3	
Nettovægt	10.0 kg	
Bruttovægt	10.1 kg	

## Palle

EAN	7322540161885		
Stk.	30		
Forbrugerenhede r	30		
Højde	1800 mm		
Bredde	800 mm		
Længde	1200 mm		
Volumen	1.4 m3		
Nettovægt	300.4 kg		
Bruttovægt	304.2 kg		



## Miljø

Content

Recycled fibres
Chemicals

#### **Material**

### **Recycled fibres**

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

## **Bleaching of fibres**

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### **Chemicals**

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wet strangth agent
Dry strength agent
If coloured = Dye
Fixing agents
Fluorescent whitening agent



Glue

**Softeners** 

The process chemicals are:

**Antipitch** 

**Protection agent** 

Yankee coating

**Defoamer** 

Dispersing agents and surfactants

pH and charge control

**Retention aids** 

**Broke treatment chemicals** 

**Drainage aid** 

#### **Food Contact**

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

### **Packaging**

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

#### **Environmental label**

Approved and labeled according to Nordic ecolabel License no. 305003 and EU Ecolabel, licence

SE/04/01

Date of issue 2007-08-27

**Revision date 2012-03-26** 

SCA Hygiene Products AB, 405 03 Göteborg, SE

#### **Production**



This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 1400.

## Disposal / destruction of used product

This product is mainly used for industrial processes and might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destructed. The product itself is suitable for incineration. Contact local authorities before destruction.

